

**ANNEX-2 PRICE BID FOR  
REPAIRS TO SPALLING CEILING & DAMAGED WATER PROOFING ON TERRACE OF L & M BLOCK, STAFF QTRS.**

No.	Description of Item	UOM	Qty.	Rate(In Rs.)	Amount(In Rs.)
1	Removal of all loose plaster/concrete pieces from the ceiling using hand tools only in L & M block of staff quarters and disposal of the same from the site.	L.S.	1.00		
2	Removal of existing water proofing from terrace till mother slab of L & M Block of staff quarters.	L.S.	1.00		
3	Treatment of all reinforcement bars with protective paint/chemicals after removal of corroded portions of the bars manually/by Sand Blasting. The chemicals to be used of any reputed make like Fosroc/Sika/BASF after taking written approval from Institute's Engineer. If the Reinforcement bars have reduced to half of their Original diameter, additional bars of same diameter to be used to tie it with the corroded rod to provide additional strength with minimum lap length on both sides.	SQ.M.	50.00		
4	Repairing the damaged ceiling after proper treatment with repair mortars from reputed brands like Fosroc/Sika/BASF after taking written approval from Institute's Engineer.	SQ.M.	50.00		
5	IPS screed concrete on the terrace of minimum thickness of 75 MM with 20 MM downgraded coarse aggregate for L & M Blocks with proper surface preparation, sealing of cracks if any & maintaining proper slopes to enable storm water draining. A good water proofing chemical has to be used from a reputed brand like Fosroc/Sika/BASF after taking written approval from Institute's Engineer.	SQ.M.	800.00		
6	Removal of all debris from work site at regular intervals and at completion of works in all respects.	LS	1.00		

**TOTAL BASIC COST FOR THE WORK:**

**GOODS AND SERVICES TAX @ \_\_\_% ON THE BASIC COST:**

**GRAND TOTAL COST OF THE WORK:**

**Amount In Words:** \_\_\_\_\_

**Signature and Seal of the Bidder**